

## Supplementary Appendix

This appendix has been provided by the authors to give readers additional information about their work.

Supplement to: Magee LA, Singer J, von Dadelszen P. Less-tight versus tight control of hypertension in pregnancy. *N Engl J Med* 2015;372:2366-8. DOI: 10.1056/NEJMc1503870

## Supplementary Appendix

Table	Page
Table S1: CHAP trial outcomes among the 736 CHIPS participants with chronic hypertension	2

**Table S1:** CHAP trial outcomes among the 736 CHIPS participants with chronic hypertension [N (%) women]

	'Less tight' control	'Tight' control			
			p	Adj OR	95% CI
<b>PRIMARY</b>					
<b>One or more maternal or perinatal adverse outcomes</b>	158 (42.8%)	116 (32.1%)	<b>0.003</b>	<b>1.54</b>	<b>1.13, 2.10</b>
Pre-eclampsia with severe features	141 (38.3%)	103 (28.4%)	<b>0.004</b>	<b>1.52</b>	<b>1.10, 2.08</b>
Perinatal death	12 (3.3%)	9 (2.5%)	0.53	1.40	0.61, 3.23
Abruption	5 (1.4%)	7 (1.9%)	0.54	0.67	0.24, 1.89
Indicated delivery before 35+0 wk	60 (16.3%)	44 (12.2%)	0.11	1.43	0.93, 2.19
<i>Missing</i>	2	4			
<b>Birth weight &lt;10<sup>th</sup> centile*</b>	51 (13.9%)	71 (19.7%)	<b>0.04</b>	<b>0.66</b>	<b>0.45, 0.99</b>
<i>Missing</i>	4	2			
<b>SECONDARY</b>					
<b>Maternal death or severe cardiovascular morbidity†</b>	2 (0.5%)	2 (0.6%)	1.00	0.91	0.21, 3.96
<i>Missing</i>	2	2			
<b>Severe adverse perinatal outcome</b>	32 (8.7%)	21 (5.8%)	0.14	1.68	0.94, 3.03
<i>Missing</i>	2	2			
<b>Adherence to treatment post-delivery‡</b>	-	-	-	-	-

\* Kramer MS et al. *Pediatrics* 2001;108(2):E35.

† CHIPS has no data on intensive care or heart failure.

‡ The CHIPS intervention was applied only from randomization until delivery.