


Anomalies detectable at birth

Estimates for sensitivity per registry, pooled estimates per group and overall pooled estimate.

NA indicates that the number and/or the estimate cannot be reported because of release restrictions for small numbers.

CAROBB: Thames Valley
 WANDA: Wessex
 EMSCYAR: East Midlands and South Yorkshire

Spina bifida




Anomalies detectable at birth

Estimates for sensitivity per registry, pooled estimates per group and overall pooled estimate.

NA indicates that the number and/or the estimate cannot be reported because of release restrictions for small numbers.

CAROBB: Thames Valley
 WANDA: Wessex
 EMSCYAR: East Midlands and South Yorkshire

Cleft lip with or without cleft palate




Anomalies detectable at birth

Estimates for sensitivity per registry, pooled estimates per group and overall pooled estimate.

NA indicates that the number and/or the estimate cannot be reported because of release restrictions for small numbers.

CAROBB: Thames Valley
 WANDA: Wessex
 EMSCYAR: East Midlands and South Yorkshire

Cleft palate




Anomalies detectable at birth

Estimates for sensitivity per registry, pooled estimates per group and overall pooled estimate.

NA indicates that the number and/or the estimate cannot be reported because of release restrictions for small numbers.

CAROBB: Thames Valley
WANDA: Wessex
EMSCYAR: East Midlands and South Yorkshire

Gastroschisis




Anomalies detectable at birth

Estimates for sensitivity per registry, pooled estimates per group and overall pooled estimate.

NA indicates that the number and/or the estimate cannot be reported because of release restrictions for small numbers.

CAROBB: Thames Valley
WANDA: Wessex
EMSCYAR: East Midlands and South Yorkshire

Omphalocele



Anomalies detectable at birth


Estimates for sensitivity per registry, pooled estimates per group.

NA indicates that the number and/or the estimate cannot be reported because of release restrictions for small numbers.

CAROB: Thames Valley
 WANDA: Wessex
 EMSYAR: East Midlands and South Yorkshire

Clubfoot

Registry ES (95% CI)




Anomalies with a high prenatal detection rate

Estimates for sensitivity per registry, pooled estimates per group and overall pooled estimate.

NA indicates that the number and/or the estimate cannot be reported because of release restrictions for small numbers.

CARobb: Thames Valley
 WANDA: Wessex
 EMSYCAR: East Midlands and South Yorkshire

Hypoplastic left heart syndrome




Anomalies with a high prenatal detection rate

Estimates for sensitivity per registry, pooled estimates per group.

NA indicates that the number and/or the estimate cannot be reported because of release restrictions for small numbers.

CAROB: Thames Valley
 WANDA: Wessex
 EMSCYAR: East Midlands and South Yorkshire

Unilateral renal agenesis




Anomalies with a high prenatal detection rate

Estimates for sensitivity per registry, pooled estimates per group.

NA indicates that the number and/or the estimate cannot be reported because of release restrictions for small numbers.

CAROBB: Thames Valley
 WANDA: Wessex
 EMSYCAR: East Midlands and South Yorkshire

Limb reduction defects




Anomalies usually diagnosed after discharge from the maternity unit

Estimates for sensitivity per registry, pooled estimates per group.

NA indicates that the number and/or the estimate cannot be reported because of release restrictions for small numbers.

CARobb: Thames Valley
 WANDA: Wessex
 EMSCYAR: East Midlands and South Yorkshire

Microcephaly




Anomalies usually diagnosed after discharge from the maternity unit

Estimates for sensitivity per registry, pooled estimates per group and overall pooled estimate.

NA indicates that the number and/or the estimate cannot be reported because of release restrictions for small numbers.

CAROB: Thames Valley
WANDA: Wessex
EMSCYAR: East Midlands and South Yorkshire

VSD




Hirschsprung disease

Anomalies usually diagnosed after discharge from the maternity unit

Estimates for sensitivity per registry, pooled estimates per group and overall pooled estimate.

NA indicates that the number and/or the estimate cannot be reported because of release restrictions for small numbers.




Anomalies that present in variable form between normal and abnormal

Estimates for sensitivity per registry, pooled estimates per group and overall pooled estimate.

NA indicates that the number and/or the estimate cannot be reported because of release restrictions for small numbers.

CAROB: Thames Valley
 WANDA: Wessex
 EMSYAR: East Midlands and South Yorkshire

ASD



Anomalies that present in variable form between normal and abnormal

Estimates for sensitivity per registry, pooled estimates per group.


NA indicates that the number and/or the estimate cannot be reported because of release restrictions for small numbers.

CARobb: Thames Valley

WANDA: Wessex

EMSCYAR: East Midlands and South Yorkshire

Hydronephrosis




Anomalies that present in variable form between normal and abnormal

Estimates for sensitivity per registry, pooled estimates per group and overall pooled estimate.

NA indicates that the number and/or the estimate cannot be reported because of release restrictions for small numbers.

CAROBB: Thames Valley
 WANDA: Wessex
 EMSYCAR: East Midlands and South Yorkshire

Hypospadias



Chromosomal anomaly

NA indicates that the number and/or the estimate cannot be reported because of release restrictions for small numbers.


Estimates for sensitivity per registry, pooled estimates per group and overall pooled estimate.

CAROB: Thames Valley

WANDA: Wessex

EMSCYAR: East Midlands and South Yorkshire

Down syndrome



Mild anomaly

NA indicates that the number and/or the estimate cannot be reported because of release restrictions for small numbers.

Estimates for sensitivity per registry, pooled estimates per group and overall pooled estimate.

CAROBB: Thames Valley

WANDA: Wessex

EMSCYAR: East Midlands and South Yorkshire

Polydactyly

