

Supplementary material 1: detailed inclusion / exclusion criteria

Inclusion Criteria	Exclusion Criteria
<p>Cardiac chest pain:</p> <ul style="list-style-type: none"> • Diagnosed as ACS / STEMI and referred to responsible admitting team • Investigation for cardiac chest pain 	<ul style="list-style-type: none"> • Other cause for pain identified (e.g. pulmonary embolism, pneumothorax, pneumonia, musculoskeletal)
<p>Non-traumatic headache:</p> <ul style="list-style-type: none"> • Migraine • Tension type headache • Cluster headache and other trigeminal autonomic cephalalgias • Primary stabbing, cough, exertional headache • Headache associated with sleep • Primary thunderclap headache • New daily persistent headache 	<ul style="list-style-type: none"> • Head and neck trauma • Cranial and cervical vascular disorders • Nonvascular intracranial disorder, e.g. tumours • A substance or its withdrawal • Infection • Other facial or cranial structure problems e.g. sinusitis • Disorders of homeostasis
<p>Seizures:</p> <ul style="list-style-type: none"> • Witnessed tonic-clonic seizures 	<ul style="list-style-type: none"> • Post head injury • Known space occupying lesion • Intracranial haemorrhage
<p>Flu-like illness: (>1 of the following)</p> <ul style="list-style-type: none"> • Sweating and feeling feverish • Dry, chesty cough • General muscle aches and pains • General tiredness • Sneezing • Difficulty sleeping 	<ul style="list-style-type: none"> • Isolated coryzal symptoms (rhinitis, sneezing, or sore throat) • Clinical features suggestive of specific focus of infection • Otagia • Pustular tonsillitis • Purulent sputum • Diarrhoea • NB The presence of fever is NOT an exclusion criterion
<p>Syncope</p> <ul style="list-style-type: none"> • Transient, self-limiting loss of consciousness with loss of postural tone • Presyncope • Transient alteration of consciousness where the patient feels that they are about to lose consciousness without actually losing it • Symptoms may include: <ul style="list-style-type: none"> ○ Dizziness ○ Lightheadedness ○ Weakness ○ Blurred vision ○ Tunnel vision ○ Diaphoresis ○ Nausea 	<ul style="list-style-type: none"> • Trauma • Previously diagnosed situational syncope