

Essential components and validation of multi-specialty robotic surgical training curricula: a systematic review

Josephine Walshaw, MBBS^a, Michael G. Fadel, MBBS^{b,*}, Matthew Boal, MBChB^c, Marina Yiasemidou, PhD^d, Muhammed Elhadi, MBBCh^e, Francesca Pecchini, MD^f, Francesco Maria Carrano, PhD^g, Lisa H Massey, MD^h, Matyas Fehervari, PhD^{b,i}, Omar Khan, PhD^{i,k}, Stavros A. Antoniou, PhD^l, Felix Nickel, MD^m, Silvana Perretta, MDⁿ, Hans F. Fuchs, PhD^o, George B. Hanna, PhD^b, Nader K. Francis, PhD^{c,†}, Christos Kontovounisios, PhD^{b,p,q,r,†}, On behalf of the European Robotic Surgery Consensus (ERSC) study group

Introduction: The rapid adoption of robotic surgical systems has overtook the development of standardized training and competency assessment for surgeons, resulting in an unmet educational need in this field. This systematic review aims to identify the essential components and evaluate the validity of current robotic training curricula across all surgical specialties.

Methods: A systematic search of MEDLINE, EMBASE, Emcare, and CINAHL databases was conducted to identify the studies reporting on multi-specialty or specialty-specific surgical robotic training curricula, between January 2000 and January 2024. We extracted the data according to Kirkpatrick's curriculum evaluation model and Messick's concept of validity. The quality of studies was assessed using the Medical Education Research Study Quality Instrument (MERSQI).

Results: From the 3687 studies retrieved, 66 articles were included. The majority of studies were single-center (n = 52, 78.8%) and observational (n = 58, 87.9%) in nature. The most commonly reported curriculum components include didactic teaching (n = 48, 72.7%), dry laboratory skills (n = 46, 69.7%), and virtual reality (VR) simulation (n = 44, 66.7%). Curriculum assessment methods varied, including direct observation (n = 44, 66.7%), video assessment (n = 26, 39.4%), and self-assessment (6.1%). Objective outcome measures were used in 44 studies (66.7%). None of the studies were fully evaluated according to Kirkpatrick's model, and five studies (7.6%) were fully evaluated according to Messick's framework. The studies were generally found to have moderate methodological quality with a median MERSQI of 11.

Conclusions: Essential components in robotic training curricula identified were didactic teaching, dry laboratory skills, and VR simulation. However, variability in assessment methods used and notable gaps in curricula validation remain evident. This highlights the need for standardized evidence-based development, evaluation, and reporting of robotic curricula to ensure the effective and safe adoption of robotic surgical systems.

Keywords: robotic curriculum, robotic training, surgical curriculum, surgical training

Introduction

The rapid advancement and integration of robotic systems into surgical practice has transformed the surgical landscape globally^[1]. Robotic-assisted surgery (RAS) requires distinct skills that differ from those required for open and laparoscopic surgery, introducing a three-dimensional visual output and a higher degree of movement freedom^[2]. Developing these specialized skills requires comprehensive training through a dedicated and structured program encompassing essential knowledge,

^aLeeds Institute of Medical Research, St James's University Hospital, University of Leeds, Leeds, United Kingdom, ^bDepartment of Surgery and Cancer, Imperial College London, London, United Kingdom, °The Griffin Institute, Northwick Park and St Mark's Hospital, London, United Kingdom, ^dDepartment of Colorectal Surgery, The Royal London Hospital, Barts Health NHS Trust, London, United Kingdom, ^eTripoli University Hospital, Tripoli, Libya, ^fDivision of General Surgery, Emergency and New Technologies, Baggiovara General Hospital, Modena, Italy, ⁹Department of Medical and Surgical Sciences and Translational Medicine, Faculty of Medicine and Psychology, St Andrea Hospital, Sapienza University, Rome, Italy, ^hDepartment of Colorectal Surgery, Nottingham University Hospitals NHS Trust, Nottingham, United Kingdom, ⁱDepartment of Bariatric Surgery, Maidstone and Tunbridge Wells NHS Trust, Kent, United Kingdom, ^jPopulation Sciences Department, St George's University of London, London, United Kingdom, ^kDepartment of Bariatric Surgery, St George's Hospital, London, United Kingdom, ¹Department of Surgery, Papageorgiou General Hospital, Thessaloniki, Greece, ^mDepartment of General, Visceral and Thoracic Surgery, University Medical Center Hamburg-Eppendorf, Hamburg, Germany, ⁿIRCAD, Research Institute Against Digestive Cancer, Strasbourg, France, NHC University Hospital, Strasbourg, France, ^oDepartment of General, Visceral, Cancer and Transplantation Surgery, University Hospital Cologne, Cologne, Germany, PDepartment of Colorectal Surgery, Chelsea and Westminster Hospital NHS Foundation Trust, London, United Kingdom, ^qDepartment of Colorectal Surgery, Royal Marsden NHS Foundation

Trust, London, United Kingdom and '2nd Surgical Department, Evaggelismos Athens General Hospital, Athens, Greece

[†]Nader K. Francis and Christos Kontovounisios are joint senior authors.

Sponsorships or competing interests that may be relevant to content are disclosed at the end of this article.

^{*}Corresponding author. Address: Department of Surgery and Cancer, Hammersmith Hospital Campus, Imperial College London, London W12 ONN, United Kingdom. Email: m.fadel@imperial.ac.uk (M.G. Fadel)

Copyright © 2025 The Author(s). Published by Wolters Kluwer Health, Inc. This is an open access article distributed under the Creative Commons Attribution-ShareAlike License 4.0, which allows others to remix, tweak, and build upon the work, even for commercial purposes, as long as the author is credited and the new creations are licensed under the identical terms.

International Journal of Surgery (2025) 111:2791-2809

Received 8 October 2024; Accepted 7 January 2025

Published online 4 February 2025

http://dx.doi.org/10.1097/JS9.00000000002284

safety principles, and technical proficiencies to achieve optimal surgical outcomes.

Surgical practice was significantly affected by the coronavirus (COVID-19) pandemic, which highlighted the need for a shift in surgical training approaches^[3,4]. As healthcare systems navigate the post-pandemic landscape, it is essential to create resilient, accessible, and adaptable training programs that can withstand future challenges and ensure the advancement of surgical education, including RAS. However, there is a considerable variability in RAS training methods, including didactic approaches with lectures and theoretical learning, hands-on training with virtual reality (VR) simulation, and both dry and wet laboratory exercises^[5,6]. Additionally, bedside training plays a crucial role in developing transferable skills, allowing surgeons to smoothly transition from the classroom to the operating room. Hands-on training may include aspects, such as patient positioning, procedure-specific port placement, and robot docking. The development of non-technical skills, such as communication, decision-making, and teamwork, is also equally important in ensuring comprehensive RAS competence^[5,7].

Despite the growing use of RAS, current training frequently relies on industry-led courses and independent fellowships, often lacking a formal, proficiency-based curriculum and validated accreditation process^[8,9]. In addition, traditional training programs for robotic surgery only address specialists; there is a lack of validated programs that address the needs of surgical residents. Although some groups have developed advanced RAS training programs^[10–12], there is still a growing need for a standardized basic RAS training curriculum^[13]. Such a curriculum would provide a consistent foundation in RAS, ensuring that all practitioners reach a minimum level of competence before progressing to more complex procedures. Evaluating the effectiveness of such training programs requires a comprehensive approach using standardized frameworks to ensure that a training curriculum can positively impact clinical practice.

This systematic review aims to analyze the essential components, assessment methods, evaluation, and validity of existing curricula across single and multi-specialty RAS training programs. This can identify gaps in current training approaches and provide a foundational reference for the development of robust RAS training programs, ensuring that surgeons are effectively trained to deliver optimal patient outcomes using robotic platforms.

Methods

Protocol and registration

The review was prospectively registered in the PROSPERO database (registration ID CRD42023418429) and the protocol, as a part of the development of a consensus in robotic training for gastrointestinal (GI) surgical trainees, which was published by the European Robotic Surgery Consensus (ERSC) study group^[14]. This process follows five stages: (i) the formation of a steering committee, (ii) a systematic review of the existing multi-specialty robotic surgical curricula, (iii) a pan-European survey to capture current robotic training practices, potential challenges, and opportunities for improvement, (iv) a Delphi process to achieve agreement on crucial aspects of a robotic training curriculum, and (v) a dissemination strategy.

This systematic review was performed to identify and define the essential components of RAS training curriculum across all surgical specialties in line with the Cochrane Handbook for Systematic Reviews of Interventions^[15]. This review has been reported following the Preferred Reporting Items for Systematic Reviews and Meta-Analyses (PRISMA) 2020 guidelines^[16] (Supplementary material S1, http://links.lww.com/JS9/D877) and AMSTAR – Assessing the Methodological Quality of Systematic Reviews – Guidelines^[17].

Eligibility criteria

All studies reporting on multi-specialty or specialty-specific RAS training curricula – including single procedure curricula – in any surgical specialty for novice or expert surgeons were eligible for inclusion. Randomized controlled trials (RCTs), prospective or retrospective observational studies were included. The exclusion criteria includes: (i) laparoscopic or other non-RAS curriculum, (ii) using robotics or simulation to train in non-RAS procedures, (iii) curriculum for medical students and non-surgeons, (iv) case reports, editorials, reviews, expert opinions, and conference abstracts without available full text, and (v) non-English language articles.

Information sources

A comprehensive search was conducted on studies published between January 2000 and January 2024 using MEDLINE, EMBASE, Emcare, and CINAHL databases. The reference lists of all included studies and screened full texts were hand-searched for additional relevant papers. When full texts were not obtainable via conventional access methods, the authors and publishing journals were approached to request the full article text.

Search strategy

The search strategy was formulated for each database using relevant Medical Subject Headings (MeSH) terms, which included robotic surgery, robot-assisted surgery, training, simulation, syllabus, curriculum, and education. The full search strategy is available in Supplementary material S2, http://links. lww.com/JS9/D877.

Selection and data collection process

Search results were uploaded onto the Covidence systematic review software^[18], and duplicates were removed. Two independent reviewers screened titles and abstracts against the inclusion and exclusion criteria, and full text of potentially relevant articles for inclusion. Two independent reviewers performed the data extraction using a bespoke data extraction spreadsheet (Microsoft Excel Version 2408)^[19]. Any disagreement between reviewers was resolved through consensus or a third reviewer.

Data items

Extracted data include: (i) study characteristics, including year of publication, country, study design, sample size, and specialty; (ii) curriculum components – e.g., didactic component, VR simulation, live case observation, dry laboratory skills, wet laboratory skills, bedside assistance training, dual console training, proctored clinical training, and non-technical skills training; and (iii) assessment methods – e.g., direct assessment, video assessment, and objective outcome tools used, if applicable). We also extracted data according to Kirkpatrick's model of

curriculum evaluation^[20] and Messick's concept of validity^[21] (Table 1).

Synthesis methods

Extracted data items were tabulated and a narrative synthesis approach was conducted in line with the Guidance on the Conduct of Narrative Synthesis in Systematic Reviews^[22]. Continuous data were presented as medians and interquartile ranges (IQR), and categorical data were presented as frequencies and percentages. We used Kirkpatrick's model of curriculum evaluation to assess how well the curriculum achieved its desired educational outcomes. The following four aspects were considered: (i) reaction - measure of participants' reaction, e.g., feedback; (ii) learning - measure of participants' learning, measured objectively or subjectively; (iii) behavior - applying training to work; and (iv) results long-term impact on participants' learning/outcomes, e.g., skill retention assessment, and predictive validity improving operative performance. We also used Messick's concept of validity to ensure the quality and validity of curricula and assessment tools, confirming that they accurately measure participant performance and provide reliable results. The following five aspects were assessed in the curriculum design, implementation, and assessment for each study: (i) content – face and content validity; (ii) response process – analysis of raters; (iii) internal structure – reliability analyses; (iv) relationship to other variables – concurrent, construct, or predictive validity and learning curve; and (v) consequences – impact of assessment or curricula.

Quality assessment

Quality assessment was performed by two independent reviewers and disagreements were resolved by a third reviewer. The validated Medical Education Research Study Quality Instrument (MERSQI)^[23] was used to assess the study quality out of a total 18 points, taking into account the study design, sampling, type of data, the validity of assessment instruments, data analysis, and study outcomes.

Results

A total of 3677 articles were identified from databases for title and abstract screening after duplication removal, and 10

Table 1

| Component | Description | Examples |
|------------------------------------|---|---|
| Kirkpatrick's Model of | Curriculum Evaluation | |
| Reaction | Measures participants' immediate satisfaction and engagement with the curriculum | Participants complete surveys after the curriculum, indicating their satisfaction with materials and teaching |
| Learning | Assesses the knowledge or skills acquired from the curriculum, can be objective or subjective | Pre- and post-tests measure participants' performance of a skill before and after the curriculum |
| Behaviour | Evaluates the application of learned skills | Evaluation of participants applying newly learned skills in their job – e.g., in person survey |
| Results | Measures the long-term impact of the curriculum | Tracking participants' performance after completing the curriculum – e.g., operativ performance – or reassessing performance – skill retention |
| Messick's Concept of V | Validity | |
| Content | Establishes the usefulness and realism of the curriculum – face validity – and if the curriculum content reflects the intended goals – content validity | Content validity – Curriculum has been developed by experts – e.g., Delphi consensu Face validity – Participants feedback for usefulness and realism |
| Response process | Analyzes how well raters respond to the curriculum and evaluates the steps taken to enhance validity | Training raters to evaluate consistently, randomly assigning participants to different raters, blinding information from raters – e.g., participant identity – and using expert raters to ensure accurate evaluation Virtual reality simulator automated performance metrics eliminate rater bias in |
| Internal structure | Measures how well the domains of the curriculum or assessment align with the underlying construct | assessments Internal consistency – Curriculum or assessment consistently measure the same construct |
| | | Intra-rater reliability – Same rater gives consistent scores for the same performance Inter-rater reliability – Agreement between different raters scores for the same performance |
| | | Virtual reality simulator automated performance metrics eliminate rater subjectivity in assessments |
| Relationship to other variables | Examines the relationship between the curriculum and other variables of interest | Concurrent validity – Outcomes of the curriculum are consistent with other established methods |
| | | Construct validity – Whether experts consistently outperform novices and distinguist levels of expertise |
| | | Predictive validity – Curriculum performance predicts real-world performance Learning curve – In a proficiency-based progression model, participants show a consistent improvement over time |
| Consequences | Evidence of the impact of the curriculum or assessment | Established thresholds for passing, failing, or achieving certain performance levels Impact of curriculum on participants' learning – e.g., surgeon's confidence, operative outcomes |

additional studies identified through hand-searching references. Of the 3687 abstracts that were screened, 3467 were excluded. After reviewing the full texts of 220 studies, 154 were excluded based on the inclusion and exclusion criteria, resulting in 66 studies being included for the final review (Fig. 1).

Study characteristics

The 66 included studies comprised of five RCTs (7.6%), and 58 observational studies (87.9%), out of which 15 were retrospective (22.7%) and 43 were prospective (65.2%) in nature. There were three articles (4.5%) containing curriculum development descriptions. The majority of studies were conducted in a single-center (n = 52, 78.8%), with 14 multicenter studies (21.2%). Among the multicentre studies, the median number of centers was four (IQR 2.5–8), and two studies did not specify the number of centers involved. Most studies were conducted in the USA (n = 45, 68.2%), with four multinational studies (6.1%). The individual study characteristics are summarized in Table 2.

Curriculum overview


Sixteen studies (24.2%) focused on multispecialty curricula, with the most common specialty-specific curricula being General Surgery (n = 12, 18.2%), Urology (n = 9, 13.6%), and Colorectal Surgery (n = 7, 10.6%). The participant grade varied, with 33 studies involving only trainees/residents (50.0%), 12 studies including only consultants/attending/staff (18.2%), and 21 studies having mixed groups of participants (31.8%).


The da Vinci system (Intuitive Surgical, Sunnyvale, CA) was the most commonly used robotic platform (n = 57, 86.4%), with other platforms, including the RobotiX Mentor (3D Systems, Cleveland, OH) (n = 2, 3.0%), Versius (Cambridge Medical Robotics Surgical, Cambridge, UK) (n = 1, 1.5%), and Zeus (Intuitive Surgical, Sunnyvale, CA) (n = 1, 1.5%). Curriculum length was reported in 28 studies (42.4%), with the shortest programme lasting 5 hours and 37 minutes for a VR curriculum^[24], and the longest spanning 5 years as a part of a residency training program^[25–27].

Curriculum cost analysis was provided in five studies (7.6%). One study reported simulation equipment costs at \$1000^[28], with another study noting individual training modules ranging between \$25 and \$122, with an annual cost of \$178 to replace the disposable dissection and suturing models^[29]. The cost of individual training instruments was noted, with a large needle driver costing \$1650, the round-tip scissors at \$1465, and the ProGrasp forceps at \$1650, each having approximately 30 uses^[29]. Additional cost considerations included video recording materials, such as GoPro cameras with accessories (\$600 each), online video hosting platforms (\$400 per year), editing software (\$600 per year), and crowdsourced video graders (\$22.27 per video)^[30]. The reported expenditure associated with each live operating case included in one curriculum was estimated to be €1920^[31].

Curriculum components

The curriculum components varied across the studies, with no single curriculum component being universally adopted (Fig. 2). The most commonly included components were didactic training (n = 48, 72.7%), dry laboratory skills (n = 46, 69.7%), and VR simulation (n = 44, 66.7%). Wet laboratory skills were encompassed in 24 studies (36.4%) – 11 animal alone, four cadaveric alone, six animal and cadaveric, two high-fidelity





| First author Ahmad, <i>et al</i> ^{30]} | | | | | | | | | |
|--|------|---------|-----------------------------|----------------------|--|--|-----------------------------------|---|--------------|
| Ahmad, <i>et al</i> ^{(30]} | Year | Country | Study design | Number of centers | Number and type of participants | Robotic platform | Surgical specialty | Primary focus of study | MERSQI score |
| | 2021 | USA | Prospective Observational | 4 | 30 surgeons (oncology fellows) | da Vinci (Intuitive Surgical, Sunnyvale, CA) | Surgical Oncology | Implement robotic surgery curriculum using virtual reality and inanimate reality chilis | 12 |
| Al Abbas, <i>et al</i> ^{i61]} | 2021 | USA | Retrospective Observational | - | 187 patients and 4 surgeons + unclear number of fellows | Not stated | Hepatobiliary Surgery | Evaluate the impact of surgeon mentorship and a formal curriculum on mitigating the learning curve for robotic distal pancreatectomy in subsequent generations of | 11.5 |
| Ali, <i>et af</i> ^{ie2]} | 2007 | USA | Prospective Observational | - | 30 patients; Unclear number of surgeons (minimally invasive surgery fellow) | Zeus (Intuitive Surgical, Sunnyvale, CA) | Upper Gastrointestinal Surgery | Demonstrate that incremental increase in surgical responsibility would be effective in teaching surgical trainees to perform complex robotic surgical tasks in a safe and efficient manner | 10.5 |
| Alrasheed, <i>et al^{fes]}</i> | 2014 | USA | Prospective Observational | - | 10 surgeons (plastic surgeons at various levels of training) | da Vinci (Intuitive Surgical, Plastic Surgery Sunnyvale, CA) | Plastic Surgery | Develop a validated assessment instrument and assess the learning curve for robotic microsurgerv | 7 |
| Alterio, <i>et al</i> ⁶⁴¹ | 2023 | USA | Prospective Observational | - | 3 surgeons (robotically trained) | da Vinci (Intuitive Surgical, General Surgery Sunnyvale, CA) | General Surgery | Identify draits and the skills needed for actual robotic operations, and which would be well- accorded by Jeanney | 4.5 |
| Aradaib, <i>et al</i> ^{ies]} | 2019 | Ireland | Prospective Observational | - | 55 patients and 4 surgeons (laparoscopic colorectal surgeons) | da Vinci (Intuitive Surgical, Colorectal Surgery Sunnyvale, CA) | Colorectal Surgery | Describe early institutional experience with adoption of robotic colorectal surgery using structured training | 0 .0 |
| Arain, <i>et al^{iszl}</i> | 2012 | USA | Prospective Observational | - | 55 surgeons (various levels of training) | da Vinci (Intuitive Surgical, Multi-specialty Sunnyvale, CA) | Multi-specialty | Assess metric reliability, investigate the feasibility of implementing the curriculum, and evaluate educational benefits | 12 |
| Ayabe, <i>et al</i> ^{(66]} | 2018 | USA | Retrospective Observational | . | 98 patients; Unclear number of surgeons | da Vinci (Intuitive Surgical, General Surgery Sunnyvale, CA) | General Surgery | Whether robotic cholecystectomy can | 9.5 |

| Bell, $et a^{fe1}$ 2015 Australia Retrospective Observational Beulens, $et a^{fe3}$ 2021 Netherlands Prospective Observational Butterworth, $et a^{fe3}$ 2021 USA Prospective Observational Dioun, $et a^{fr3}$ 2017 USA Prospective Observational Butterworth, $et a^{fr3}$ 2012 USA Prospective Observational Butterworth, $et a^{fr3}$ 2012 USA Prospective Observational Kingma, $et a^{fr3}$ 2018 USA Prospective Observational Kingma, $et a^{fr3}$ 2018 USA Prospective Observational Kingma, $et a^{fr3}$ 2018 USA Prospective Observational Kingma, $et a^{fr3}$ 2020 Germany Prospective Observational Foell, $et a^{fr4}$ 2013 Canada Prospective Observational | 1 Multiple (Not stated number) | (junior and senior residents) | | | | |
|--|---|---|--|-------------------------|---|------|
| 2021Netherlands4 ^{69]} 2021USA2017USA2012USA2018USA20182032020Germany2013Canada | Multiple (Not stated number) 1 | 48 patients and 4 surgeons (laparoscopic colorectal surgeons) | da Vinci (Intuitive Surgical, Colorectal Surgery Sunnyvale, CA) | Colorectal Surgery | safely be introduced to junior residents Describe the process taken to establish a robotic colorectal surgery programme in a large | 8.5 |
| a ^[69] 2021 USA 2017 USA 2012 USA a ^{f72]} 2012 USA 3 ¹ 2020 Germany 2013 Canada | - | 29 surgeons (various levels of training) | da Vinci (Intuitive Surgical, Urology Sunnyvale, CA) | Urology | academic private hospital Analyze the effects on surgical skills by the introduction of an advanced course in robotic-assisted surgery | 11.5 |
| 2017 USA 2012 USA a/ ⁷² 2018 USA 3 ¹ 2020 Germany 2013 Canada | | 17 surgeons (various levels of training) | Versius (Cambridge Medical Robotics Surgical, Cambridge, Liko | Multi-specialty | for residents Evaluate the effectiveness of the Versius training programme | 12 |
| 2012 USA 2018 USA 2020 Germany 2013 Canada | | 24 surgeons (various levels of training) | ci (Intuitive Surgical, nyvale, CA) | Gynecology | Develop and evaluate the robotic simulation | 10 |
| 2018 USA 2020 Germany 2013 Canada | ۲ | 2 surgeons (novice and exnert) | da Vinci (Intuitive Surgical, Sunnwale. CA) | Multi-specialty | Develop a proficiency-based robotic curricultum | Ø |
| 2020 Germany 2013 Canada | - | 20 surgeons (residents with no/minimal robotic | Surgical, | Otolaryngology | Develop an introductory resident transoral robotic | 8.5 |
| 2013 Canada | | experience) 70 operations 1 surgeon (expert) | da Vinci (Intuitive Surgical, Sunnyvale, CA) | Esophagogastric Surgery | surgery curriculum Demonstrate the effectiveness of a structured training pathway in robot-assisted minimally invasive | J |
| | | 37 surgeons (various levels of training) | da Vinci (Intuitive Surgical, Multi-specialty Sunnyvale, CA) | Multi-specialty | esophagectomy Develop a simulation-based robotic surgery basic skills | 0 |
| Formisano, et $a^{f^{5}j}$ 2019 Italy Prospective Observational | - | 2 surgeons (junior attendings competent in basic minimally invasive surgery) | da Vinci (Intuitive Surgical, Sunnyvale, CA) | Colorectal Surgery | Assess the efficacy of an institutional training program for robotic right hemicolectomy | 3.5 |
| Fujimura, <i>et al</i> ^{76]} 2016 Japan Prospective Observational | | 242 operations and 8 surgeons (robotic novices) | da Vinci (Intuitive Surgical, Urology Sunnyvale, CA) | Urology | Development and evaluation of a mentored robot- assisted radical prostatectomy training partway | 6.5 |

Table 2

(Continued)

2796

| Table 2 (Continued) | | | | | | | | | |
|--|------|---------|---------------------------------------|----------------------|--|---|-----------------------|--|--------------|
| First author | Year | Country | Study design | Number of centers | Number and type of participants | Robotic platform | Surgical specialty | Primary focus of study | MERSQI score |
| Galloway, <i>et al^{tzel}</i> | 2012 | NSA | Retrospective Observational | - | 24 surgeons (residents) | da Vinci (Intuitive Surgical, Sunnyvale, CA) | Gynecology | Incorporate robotic surgery training into the standard four-year gynaecology curriciulum | ភ.ភ |
| Geller, <i>et al</i> ⁽²⁹⁾ | 2011 | NSA | Prospective Observational | - | 17 surgeons (residents) | da Vinci (Intuitive Surgical, Sunnyvale, CA) | Gynecology | Establish a standardized robotic surgical training | 4.5 |
| Gerull, <i>et al</i> ^[77] | 2020 | NSA | Prospective Observational | - | 31 surgeons (residents) | da Vinci (Intuitive Surgical, Sunnyvale, CA) | Multi-specialty | Assess the impact of a virtual reality robotic curriculum | Ø |
| Gleason, <i>et al</i> ^{igi} | 2022 | NSA | Prospective Observational | - | 53 surgeons (trainees) | da Vinci (Intuitive Surgical, Sunnyvale, CA) | Multi-specialty | Assess the impact of a virtual reality robotic curriculum on nost-test scores | 10 |
| Gomez, <i>et al</i> ^[78] | 2015 | NSA | Prospective Observational | - | 22 surgeons (novice robotic surgeons) | da Vinci (Intuitive Surgical, Sunnyvale, CA) | General Surgery | Develop and evaluate a proficiency-based virtual reality curriculum | Ħ |
| Grannan, <i>et al^{tzs}</i> l | 2021 | NSA | Retrospective Observational | - | 161 operations and 43 surgeons (residents) | da Vinci (Intuitive Surgical, Sunnyvale, CA) | General Surgery | Pilot a robotic general surgery resident training curriculum | 4.5 |
| Green, <i>et al</i> ^{/26]} | 2021 | NSA | Curriculum development description | ω | N/A | da Vinci (Intuitive Surgical, Sunnyvale, CA) | General Surgery | Develop a robotic general surgery resident training curriculum | Ŋ |
| Hogg, <i>et al</i> ^[33] | 2017 | NSA | Prospective Observational | - | 17 surgeons (various levels of training) | da Vinci (Intuitive Surgical, Sunnwale, CA) | Hepatobiliary Surgery | Evaluate the validity of a virtual reality curriculum | 11 |
| Hung, <i>et al</i> ^{34]} | 2017 | USA | Prospective Observational | - | 21 surgeons (robotic trainees at various levels of training) | Not stated | Urology | Evaluate the struct our out of the learning and proficiency assessment in robotic surreev | 5 |
| Hung, <i>et al</i> ^{79]} | 2013 | NSA | Prospective Observational | 2 | 49 (38 trainees, 11 experts) | da Vinci (Intuitive Surgical, Urology Sunnvale. CA) | Urology | Assessing the validity of three robotic training methods | 14 |
| Kajiwara, <i>et al</i> ^{isol} | 2011 | Japan | Curriculum development description | - | 2 surgeons (expert thoracic surgeons) | da Vinci (Intuitive Surgical, Sunnyvale, CA) | Thoracic Surgery | Determine the feasibility of using the training system for educating thoracic surgeons in robotic surgeory for lunc cancer | 12 |
| Kiely, <i>et al</i> ^{81]} | 2015 | Canada | Randomized controlled trial | - | 27 surgeons (various levels of training) | da Vinci (Intuitive Surgical, Sunnyvale, CA) | Multi-specialty | Whether a proficiency-based, virtual reality robotic suturing curriculum improves the robotic suturing nerformance | 13.5 |
| Kim, <i>et al</i> ^{i24]} | 2023 | USA | Prospective Observational | က | 25 surgeons (various levels of training) | da Vinci (Intuitive Surgical, Multi-specialty Sunnyvale, CA) | Multi-specialty | Assess whether traines Assess whether traines demonstrate improvement in a standardized knot- tying task after completing | 13 |

(Continued)

| First author | Year | Country | Study design | Number of centers | Number and type of participants | Robotic platform | Surgical specialty | Primary focus of study | MERSQI score |
|---|------|----------|-----------------------------|----------------------|---|---|-----------------------|---|--------------|
| Klompmaker, <i>et al</i> ^{ie2} | 2021 | USA | Retrospective Observational | - | 237 patients; Unclear number of surgeons (experience with open hepatobiliary surgery and residents) | da Vinci (Intuitive Surgical, Hepatobiliary Surgery Sunnyvale, CA) | Hepatobiliary Surgery | a virtual reality robotic curriculum Train practicing surgeons in robot-assisted distal pancreatectomy and assess the impact on five domains of healthcare | ن |
| Larcher <i>, et al</i> ^{31]} | 2019 | Multiple | Retrospective Observational | | 200 patients 1 surgeon (trainee) Delphi: 27 experts | da Vinci (Intuitive Surgical, Urology Sunnyvale, CA) | Urology | ucany Define and validate a curriculum for robot- assisted partial neohrectomy | 11.5 |
| Madureira, <i>et al^{ja31}</i> | 2017 | Brazil | Retrospective Observational | - | 293 operations; Unclear number of surgeons (general and colorectal surgeons) | da Vinci (Intuitive Surgical, Sunnyvale, CA) | General Surgery | Describe the implementation of a training program in robotic surgery and point the General Surgery procedures that can be performed with advantages using the robotic platform. | 10 |
| Mark Knab, <i>et al</i> ^{184]} | 2018 | NSA | Retrospective Observational | - | 30 surgeons (oncology and hepatobiliary fellows) | da Vinci (Intuitive Surgical, Sunnyvale, CA) | Surgical Oncology | Evolution and outcomes of a proficiency-based robotic training program for surgical oncology fellows | 10 |
| Martin, <i>et al</i> ^{86]} | 2021 | USA | Prospective Observational | 0 | 20 surgeons (residents) | RobotiX Mentor (3D Systems, Cleveland, OH) | Multi-specialty | Determine if robotic surgery novices demonstrate improved technical skill performance after completing the Fundamentals of Robotic Surreav training | 12.5 |
| Mehrabi, <i>et al</i> ^{ies} ì | 2006 | Germany | Prospective Observational | - | 4 surgeons (trainees) | da Vinci (Intuitive Surgical, Multi-specialty Sunnyvale, CA) | Multi-specialty | Design a clear, standardized, and reproducible training method that can qualitatively and quantitatively evaluate the surgical performance when a surgical robotic system is introduced. | 12.5 |
| Melnyk, <i>et al^{e7]}</i> | 2022 | USA | Prospective Observational | - | 5 teams (each with a surgeon, first assistant, and circulating nurse) | da Vinci (Intuitive Surgical, Urology Sunnyvale, CA) | Urology | Design and implement a simulation-based curriculum for training interdisciplinary robotic | 12.5 |

Table 2

International Journal of Surgery

| First author | Year | Country | Study design | Number of centers | Number and type of participants | Robotic platform | Surgical specialty | Primary focus of study | MERSQI score |
|--|------|----------|-----------------------------|----------------------|--|--|--------------------|--|--------------|
| | | | | | | | | surgical teams in emergency robotic undocking protocols and open conversion | |
| Merriman, <i>et al</i> ⁽⁸⁸⁾ | 2023 | USA | Retrospective Observational | - | 24 surgeons (gynaecology residents) | da Vinci (Intuitive Surgical, Sunnyvale, CA) | Gynecology | Describe and evaluate a two- phase robotic curriculum for obstetrics and | 13 |
| Moit, <i>et al^{azı}l</i> | 2019 | USA | Retrospective Observational | - | 6 surgeons (general surgery residents) | da Vinci (Intuitive Surgical, Sunnyvale, CA) | General Surgery | gyneculogican resuents Evaluate a standardized robotic training curriculum designed to improve robotic surgical skills among general surgery residents | 13 |
| Moles, <i>et al</i> ^(sg) | 2009 | USA | Prospective Observational | | 7 surgeons (otolaryngology residents) | da Vinci (Intuitive Surgical, Otolaryngology Sunnyvale, CA) | Otolaryngology | Developing a training program for teaching robotic skills to residents | 12 |
| Mü ller, <i>et al</i> ^{90]} | 2023 | Germany | Prospective Observational | - | 154 patients and 2 surgeons (experts) | da Vinci (Intuitive Surgical, Sunnyvale, CA) | General Surgery | Evaluate and help understand the pathway to reach surgical expert levels using a proficiency-based approach introducing RAMIE at a high-volume center | ත |
| Mustafa, <i>et al</i> ⁶¹¹ | 2019 | USA | Retrospective Observational | - | 4 patients before curriculum, 99 patients after curriculum, 164 patients long-term, and Unclear number of surgeons (residents) | Not stated | General Surgery | Examine if the implementation of a robotics curriculum enhances minimally invasive surgical training | 8.5 |
| Panteleimonitis, <i>et al</i> ^{i92]} | 2021 | Multiple | Prospective Observational | 26 | 35 surgeons (various levels of training) | da Vinci (Intuitive Surgical, Colorectal Surgery Sunnyvale, CA) | Colorectal Surgery | Examine the short-term outcomes of a structured training programme for robotic colorectal surgery in an international setting | 13.5 |
| Panteleimonitis, et $a^{(33)}$ | 2018 | Multiple | Prospective Observational | N | 82 patients and 3 surgeons (experienced minimally invasive surgeons, no robotic experience) | da Vinci (Intuitive Surgical, Sunnyvale, CA) | Colorectal Surgery | Exhibit the feasibility and safety of a training pathway | 13.5 |
| Puliatti, <i>et al</i> ⁽³⁵⁾ | 2021 | Belgium | Prospective Observational | - | 19 surgeons (experts and novices) Delphi: 13 experts | da Vinci (Intuitive Surgical, Urology Sunnyvale, CA) | Urology | Development and validation of performance metrics for robotic procedures | 12.5 |

(Continued)

Table 2

| First author | Year | Country | Study design | Number of centers | Number and type of participants | Robotic platform | Surgical specialty | Primary focus of study | MERSQI score |
|--|------|----------|---------------------------------------|----------------------|---|--|-----------------------|--|--------------|
| Radi, <i>et al</i> ^{194]} | 2022 | USA | Prospective Observational | - | 41 surgeons (residents) | da Vinci (Intuitive Surgical, Multi-specialty Sunnyvale, CA) | Multi-specialty | Evaluate the feasibility, effectiveness, and transferability of a mastery-based curriculum using a new virtual reality robotic simulator for surgery | 13 |
| Ramirez Barriga, <i>et al</i> ^{195]} | 2022 | USA | Curriculum development description | . | WA | da Vinci (Intuitive Surgical, General Surgery Sunnyvale, CA) | General Surgery | resident raining Provide standardized training to ensure robotic surgical experience before sitting at the console in the | 11.5 |
| Raza, <i>et al</i> ^{l96]} | 2014 | USA | Prospective Observational | n | 61 surgeons (experts and novices) | 61 surgeons (experts and da Vinci (Intuitive Surgical, General Surgery novices) Sunnyvale, CA) | General Surgery | Report the ability of a simulation-based robotic training curriculum to assess and distinguish between different performance levels of onerator experience | 14.5 |
| Rice, <i>et al</i> ^{197]} | 2020 | NSA | Prospective Observational | - | 514 operations 4 surgeons (robotic novices) | Not stated | Hepatobiliary Surgery | Evaluate the association of mentorship and a formal proficiency-based skills curriculum with the learning curves of 3 generations of surgeons and the association with increased patient safety | 10 |
| Richmon, <i>et al</i> ^{i96]} | 2011 | NSA | Prospective Observational | - | 20 patients and 1 surgeon (Otolaryngology surgeon) | da Vinci (Intuitive Surgical, Otolaryngology Sunnyvale, CA) | Otolaryngology | Review strategy and experiences by implementing a TORS proorram | 5.5 |
| Rusch, <i>et al</i> ^{iog]} | 2018 | Multiple | Prospective Observational | 4 | 4 surgeons (gynaecology surgeons, robotic novices) | da Vinci (Intuitive Surgical, Gynecology Sunnyvale, CA) | Gynecology | Experiences of the Society of European Robotic Gynaecology Surgery pilot curriculum in terms of feasibility, effectiveness, and the potential for certification | 13.5 |
| Satava, <i>et al</i> ^{100]} | 2020 | USA | Randomized controlled trial | 12 | 99 surgeons (various levels of training) | da Vinci (Intuitive Surgical, Multi-specialty Sunnyvale, CA) | Multi-specialty | Compare the Fundamentals of Robotic Surgery curriculum with current training paradigms | 14 |

2800

| Table 2 (Continued) | | | | | | | | | |
|--|------|---------|-----------------------------|------------------------------------|---|--|--------------------|---|--------------|
| First author | Year | Country | Study design | Number of centers | Number and type of participants | Robotic platform | Surgical specialty | Primary focus of study | MERSQI score |
| Scott, <i>et al</i> ^{f 101]} | 2020 | Denmark | Prospective Observational | - | 22 surgeons (novices and experts) | RobotiX Mentor (3D Systems, Cleveland, OH) | Multi-specialty | Design and collect the validity evidence for a cross- specialty basic robotic surgical skills training program using the Robotix Mentor virtual reality simulator | 11 |
| Shay, <i>et al</i> ^{tio2]} | 2019 | NSA | Prospective Observational | - | 20 surgeons (residents) | da Vinci (Intuitive Surgical, Sunnvale, CA) | Otolaryngology | Assess short and long-term retention of robotic skills | ŧ |
| Stegemann, <i>et al</i> ^{rio3]} | 2013 | USA | Randomized controlled trial | က | 53 surgeons (various levels of training) | da Vinci (Intuitive Surgical, Sunnyvale, CA) | Multi-specialty | Develop and establish the effectiveness of a simulation-based robotic | 15 |
| Tarr, <i>et al</i> ^{(104]} | 2014 | USA | Randomized controlled trial | 8 | 165 surgeons (residents) | Not stated | Multi-specialty | Determine if the robotic dry lab curriculum improved basic robotic skills | 12 |
| Thomas, <i>et al</i> ^{tio5]} | 2021 | Y | Retrospective Observational | - | 90 operations and 2 surgeons (colorectal consultants) | da Vinci (Intuitive Surgical, Colorectal Surgery Sunnyvale, CA) | Colorectal Surgery | Experience of implementation and adaptation of a structured robotic colorectal prooram | 13 |
| Turbati, <i>et al</i> ^{106]} | 2023 | USA | Prospective Observational | - | 18 surgeons (novices and experts) | da Vinci (Intuitive Surgical, Multi-specialty Sunnyvale, CA) | Multi-specialty | Validate the SimNow resident robotic basic simulation curriculum | 10.5 |
| Uhruh, <i>et al</i> ^{tior]} | 2023 | USA | Retrospective Observational | - | 681 operations and 25 surgeons (colorectal residents) | da Vinci (Intuitive Surgical, Sunnyvale, CA) | Colorectal Surgery | Describe the components of the curriculum and characterize the immediate impact of implementation | ۵ |
| Valdis, <i>et al</i> ^{108]} | 2015 | Canada | Randomised controlled trial | - | 20 surgeons (trainees) | da Vinci (Intuitive Surgical, Sunnyvale, CA) | Cardiac Surgery | Evaluate the impact of a virtual reality simulation curriculum to improve the robotic cardiac surgery skill acquisition | 13.5 |
| Volpe, <i>et af</i> ^{rosl} | 2015 | Belgium | Prospective Observational | Multiple (Not stated number) | 10 surgeons (fellows) | da Vinci (Intuitive Surgical, Urology Sunnyvale, CA) | Urology | Establish the feasibility, acceptability, face validity, and educational impact of a structured training curriculum for robot- assisted radical prostatectomy | 13.5 |
| White, <i>et al</i> ^{r10]} | 2018 | USA | Prospective Observational | ~ | 5 surgeons (senior otolaryngology residents) | da Vinci (Intuitive Surgical, Otolaryngology Sunnyvale, CA) | Otolaryngology | Develop a multi-faceted curriculum to prepare the residents for transoral robotic surgery and to | 2 |

(Continued)

| Ind type of pants Robotic platform Surgical specialty F (unior and dents) da Vinci (Intuitive Surgical, Sunnyvale, CA) Urology De (inior and dents) da Vinci (Intuitive Surgical, Sunnyvale, CA) Urology De (inior and dents) da Vinci (Intuitive Surgical, Sunnyvale, CA) Urology De (residents) da Vinci (Intuitive Surgical, Sunnyvale, CA) General Surgery As: (trained Sunnyvale, CA) Hepatobiliary Surgery As: | Table 2 (Continued) | | | | | | | | | |
|---|---------------------------------------|------|-------------|-----------------------------|----------------------|--|---|-----------------------|---|--------------|
| 2015 USA Retrospective Observational 1 16 surgeons (unior and senior residents) da Vinci (Intuitive Surgical, Sunnyrale, CA) Urology De 2016 USA Prospective Observational 1 20 surgeons (residents) da Vinci (Intuitive Surgical, Sunnyrale, CA) Im 2016 USA Prospective Observational 1 20 surgeons (residents) da Vinci (Intuitive Surgical, Sunnyrale, CA) Hepatobiliary Surgery As | First author | Year | Country | Study design | Number of centers | Number and type of participants | Robotic platform | Surgical specialty | Primary focus of study | MERSQI score |
| 2016 USA Prospective Observational 1 20 surgeons (residents) Sunnyvale, CA) 2015 USA Prospective Observational 1 20 surgeons (residents) da Vinci (Intuitive Surgical, General Surgery Im 2022 Netherlands Prospective Observational 7 275 operations 15 da Vinci (Intuitive Surgical, Hepatobiliary Surgery As: 2022 Netherlands Prospective Observational 7 275 operations 15 da Vinci (Intuitive Surgical, Hepatobiliary Surgery As: | Wiener, <i>et al</i> ^{(111]} | 2015 | NSA | Retrospective Observational | | 16 surgeons (junior and | da Vinci (Intuitive Surgical, | Urology | assess the effectiveness of a curriculum Define the time needed by | 10.5 |
| 1 2016 USA Prospective Observational 1 20 surgeons (residents) da Vinci (Intuitive Surgical, General Surgery Im 2022 Netherlands Prospective Observational 7 275 operations 15 da Vinci (Intuitive Surgical, Hepatobiliary Surgery As: 2022 Netherlands Prospective Observational 7 275 operations 15 da Vinci (Intuitive Surgical, Hepatobiliary Surgery As: 2022 Netherlands Prospective Observational 7 275 operations 15 da Vinci (Intuitive Surgical, Hepatobiliary Surgery As: | | | | | | senior residents) | Sunnyvale, CA) | | urology residents to attain proficiency in robotic surgery to refine the curriculum | |
| 2022 Netherlands Prospective Observational 7 275 operations 15 da Vinci (Intuitive Surgical, Hepatobiliary Surgery As: surgeons (trained Sunnyvale, CA) hepatobiliary | Winder, <i>et al</i> ^{t12]} | 2016 | NSA | Prospective Observational | | 20 surgeons (residents) | da Vinci (Intuitive Surgical, Sunnyvale, CA) | General Surgery | Implementation of a robotic surgical curriculum in general surgery | 4 |
| _ | Zwart, <i>et al</i> ^{i113]} | 2022 | Netherlands | Prospective Observational | ~ | 275 operations 15 surgeons (trained hepatobiliary surgeons) | da Vinci (Intuitive Surgical, Sunnyvale, CA) | Hepatobiliary Surgery | Assess the feasibility and safety of a multicentre training program in robotic pancreatoduodenectomy | 13.5 |

artificial organs, and one unclear tissue type. Dedicated bedside assistance training was included in 24 studies (36.4%). Live operating experience within the robotic curriculum was incorporated through observation of live cases (n = 22, 33.3%), dual console training (n = 8, 12.1%), and proctored clinical training (n = 34, 51.5%). Non-technical skills in robotic surgery were included in four curricula (6.1%). Additional components that were noted were the review of robotic videos (n = 7, 10.6%), web-based feedback (n = 2, 3.0%), and emergency undocking simulation (n = 1, 1.5%).

Assessment methods


The methods used to assess learning included both direct observation (n = 44, 66.7%) and video assessment (n = 26, 39.4%). Objective outcome measures were applied in 44 studies (66.7%), with VR/simulation metrics (n = 15, 22.7%), the Global Evaluation Assessment of Robotic Skills (GEARS) (n = 13, 19.7%), and the Objective Structured Assessment of Technical Skills (OSATS) (n = 8, 12.1%) being some of the most commonly applied measures (Table 3). Self-assessment methods were reported in four studies (6.1%), while four other studies (6.1%) did not use any form of assessment.

Curriculum validation

According to Kirkpatrick's model of curriculum evaluation. none of the included studies were fully validated. Forty-eight (72.7%) studies were partially validated: (i) reaction (n = 15, 15.2%), and (iv) results (n = 5, 7.6%). Eighteen (27.3%) studies were not validated for any of the Kirkpatrick's criteria points. For Messick's concept of validity, five (7.6%) curricula were fully validated. Fifty-one (77.3%) studies were partially validated: (i) content (n = 26, 39.4%), (ii) response process (n = 30, 45.5%), (iii) internal structure (n = 29, 43.9%), (iv) relationship to other variables (n = 36, 54.5%), and (v) consequences (n = 18, 27.3%). Ten (15.2%) study curricula were not validated for any of Messick's concepts of validity (Fig. 3). In general, the included studies had a moderate methodological quality with a median MERSQI score of 11 (IQR 9-13) out of 18 points.

Discussion

This systematic review provides a comprehensive overview of the existing RAS training curricula across multiple specialties globally, highlighting the diversity in curriculum components, assessment strategies, and validation. The most commonly reported curricula components in the literature include didactic learning, dry laboratory skills, and VR simulation. While most curricula were found to be partially validated for both Kirkpatrick's and Messick's frameworks, five curricula achieved full validation according to Messick's concept of validity^[9,32–35]. These efforts demonstrate progress in developing effective RAS training programmes, though broader validation across additional curricula is still needed. The review findings underscore significant variability and a lack of standardization, emphasizing the need for a more unified and validated approach to RAS training.



Variability in curriculum design

An important finding from this review is the variation in RAS curricular components. Didactic training, dry laboratory skills, and VR simulation were the most commonly included elements, appearing in over two-thirds of the reviewed studies. Wet laboratory training also helps surgeons adapt to the lack of haptic feedback in RAS by focusing on visual cues for tissue handling^[5]. This component plays a vital role in bridging the gap between theoretical learning and the operating room; however, it was only included in 36.4% of RAS curricula. The inclusion of proctored training in more than half the curricula emphasizes the importance of hands-on, practical experience in preparing surgeons for real-world applications. However, bed-side assistance and dual console trainings were less frequently incorporated.

The 2006 SAGES-MIRA – Society of Gastrointestinal and Endoscopic Surgeons and Minimally Invasive Robotic Association – Consensus on RAS training emphasized the need for combining didactic courses, hands-on training, and guided operating room components for comprehensive robotic surgery education^[36]. However, no single component was universally adopted across all curricula in this review, reflecting the lack of standardized RAS training in the current literature.

The relatively low inclusion of non-technical skills training suggests a further gap in research in this area, despite the critical role these skills play in effective teamwork, communication, and decision-making in the operating room^[37,38]. A recent systematic review highlighted a paucity of non-technical skills reporting in RAS, with only three bespoke objective assessment tools being used^[39]. This underscores the need for greater integration and

assessment of non-technical skills in RAS training programs to ensure that surgical teams are equipped to handle the challenges of the operating room environment.

Transparency in reporting costs associated with RAS training was also found to be limited, with insufficient reporting of both participant and site expenses. Detailed cost reporting is essential for evaluating the financial feasibility and resource allocation of training programs and better informed decision-making in curriculum development to ensure that these programs are both cost-effective and accessible.

Assessment methods

The assessment methods used in RAS training were equally varied, incorporating both direct observation and video assessments, along with a range of objective outcome measures. Direct observation was the most frequent form of assessment used, reflecting a preference for real-time evaluation techniques. A systematic review by Grüter et al^[40] suggested that validated video-based objective surgical quality assessment tools enable objective assessment of surgical performance; however, current surgical video recording practices are heterogeneous^[41]. Beyond assessment, recording procedures offer the additional benefit of identifying errors, allowing surgeons to learn from these instances and fostering a culture of continuous improvement in performance and patient safety^[42]. Self-assessment can be a valuable tool for fostering reflective practice and lifelong learning, yet it remains underutilized in surgical training^[43,44]. There is often a poor correlation between self-assessment and independent evaluation^[45]; therefore, it should be used as

Table 3

Assessment metrics used in robotic curricula

| Assessment Metric | Description | Number of studies utilised (%) |
|---|--|---|
| Simulator/Virtual Reality Metrics | Quantitative measure of performance in virtual reality simulators on various aspects of the task being performed. | 15 (22.7%) ^[9,25,33,68-70,72,74,78,91,94,96,102,106,111] |
| Global Evaluation Assessment of Robotic Skills (GEARS) | Measurement of six dimensions for robotic-assisted surgery technical skill evaluation, including depth perception, bimanual dexterity, efficiency, force sensitivity, autonomy, and robotic control. | 13 (19.7%) ^[24,27,34,69,79,81,85,88,99,100,107-109] |
| Task-specific metrics | Metrics used to assess specific aspects of performance during a task, such as the time taken to complete a procedure or the number of errors made. | 10 (15.2%) ^[28,29,33,71,74,84,85,87,89,103] |
| Objective Structured Assessment of Technical Skills (OSATS) | Evaluates a trainee's performance using standardized criteria, including tissue handling, economy of movement, handling and knowledge of instruments, use of assistants, flow and forward planning of the operation, and knowledge of specific procedures. | 8 (12.1%) ^[24,30,33,84,94,95,99,104] |
| Cumulative Sum Control Chart (CUSUM) | Statistical tool used to monitor a trainee's performance over time, detecting trends and changes in their proficiency. | 5 (7.6%) ^[73,82,90,92,93] |
| Goal Assessment Score (GAS) | Scoring for robotic colorectal surgery assessment, including robotic docking, colonic dissection, total mesorectal excision, and resection and anastomosis. | 4 (6.1%) ^[65,92,93,105] |
| Procedure-specific scoring system | Assessment of proficiency/technical ability specific to an operation(s) - e.g., prostatectomy - or part of an operation - e.g., docking - being performed | 4 (6.1%) ^[26,34,73,109] |
| Modified Fundamentals of Laparoscopic Surgery (FLS) | Program designed to teach and evaluate the knowledge, judgment, and skills fundamental to laparoscopic surgery | 2 (3.0%) ^[32,71] |
| Non-Technical Skills for Surgeons (NOTSS) Rating System | Evaluates five categories of non-technical skills for safe surgical practice, including situation awareness, decision-making, task management, communication & teamwork, and leadership. | 2 (3.0%) ^[88,99] |
| Task Load Index (TLX) | Self-assessment of the cognitive load experienced during a procedure, including mental demand, physical demand, temporal demand, performance, effort, and frustration. | 2 (3.0%) ^[77,87] |
| Global Operative Assessment of Laparoscopic Skills (GOALS) | Rating scale for laparoscopic skills, including depth perception, bimanual dexterity, efficiency, tissue handling, and autonomy. | 1 (1.5%) ^[81] |
| Structured assessment of robotic microsurgical skills | Combines the Structured Assessment of Microsurgical Skills scoring system – dexterity, visuospatial ability, and operative flow – with robotic skills – camera movement, depth perception, wrist articulation, atraumatic needle handling, and atraumatic tissue handling – and overall performance | 1 (1.5%) ^[63] |
| Robotic Ottowa Surgical Competency Operating Room Evaluation (RO-SCORE) | Robotic modification of the O-SCORE tool, including overall technical performance – camera control, energy control, needle control, tissue handling, instrument control – efficiency and flow, and communication | 1 (1.5%) ^[77] |
| Electrodermal activity | Non-invasive measure of electrical properties of skin to assess stress levels during tasks | 1 (1.5%) ^[87] |

a complementary tool to enhance personal insight rather than as a replacement for expert feedback.

Despite the use of objective measures in two-thirds of the studies, variability in scoring metrics raises questions about the consistency and reliability of skill assessment across different programs. A systematic review by Boal *et al*^[46] similarly highlighted the significant variability in the approach and evaluation of tools for RAS assessment, with only a few having undergone robust validation. Although these tools offer great potential for objectively evaluating surgical skills, further evaluation is required before they are integrated into accreditation processes.

Challenges in curriculum validation

The IDEAL – Idea, Development, Exploration, Assessment, and Long-term monitoring – framework for surgical robotics advocates for the evaluation of novel training methods using validated frameworks, such as Messick's, and emphasizes the need for standardized RAS training programmes overseen by independent accrediting bodies^[13]. While many studies achieved partial validation according to Kirkpatrick's model of curriculum evaluation and Messick's concept of validity, there are notable shortcomings in the current curricula. None of the curricula achieved full validation under Kirkpatrick's model, with most focusing on the "Learning" component while neglecting other crucial aspects, like behavioral changes and long-term impact. Similarly, validation according to Messick's framework was also limited, with only a small percentage of curricula being fully validated. These omissions may have significant implications for the quality of training and its translation into improved clinical practice. Effective curricula should not only assess immediate learning outcomes, but also consider the broader impact on surgical practice and patient care. The moderate methodological quality, as reflected by the median MERSQI score, further emphasizes the need for higher-quality research in this area.

RAS training curricula should be aimed to be evaluated with the same rigour as the National Training Programme for Laparoscopic Colorectal Surgery (Lapco), which successfully implemented a structured, competency-based approach to training laparoscopic colorectal surgeons in England^[47]. The use of one-to-one expert supervision, objective assessment tools, and a standardized, high-quality framework for training and progression demonstrated how new surgical techniques can safely and effectively be integrated into practice^[48–51].

Since the completion of the review, multiple emerging curricula have been published. Although these curricula fall outside the




Figure 3. Curricula validation; (A) percentage of studies meeting the components for Kirkpatrick's model of curriculum evaluation, (B) percentage of studies meeting the components for Messick's concept of validity, and (C) percentage of studies having no, partial, or full validation.

search range, the authors have provided a summary and evaluation of their frameworks. The Association of Laparoscopic Surgeons of Great Britain and Ireland (ALSGBI) have developed an accreditation-based programme for pre-clinical core robotic skills^[52]. This curriculum successfully fulfilled all five Messick's validity domains, and two of the four Kirkpatrick's domains. The curriculum achieved a MERSQI score of 14, and is the first curriculum, to our knowledge, to implement Objective Clinical Human Reliability Analysis (OCHRA) error analysis tool. The Robotic Surgery Training Curriculum (RoSTraC) is a further standardized program, specifically designed for surgical residents^[53]. This curriculum evaluation fulfilled four of the five Messick's domains, and three of the four Kirkpatrick's domains, demonstrating a MERSQI score of 13.5.

Additionally, the European Society of Coloproctology (ESCP) "ColoRobotica" pathway is a structured colorectal robotic training pathway, which recently published a guideline including statements on the knowledge, technical, and non-technical skills; assessment of competency; and credentialing for robotic colorectal surgery^[54]. It is a comprehensive curriculum covering key modules of a robotic training pathway from e-learning and simulation training to live case observation and proctorship, with proficiency-based progression and accreditation through objective assessment (MERSQI 17). Although there are no published studies evaluating its curriculum, the ESCP society have published on a robotic-specific Training The Trainer pathway^[55] and a validated robotic low anterior resection proficiency-based metrics objective assessment tool^[56]. This provided evidence across all five domains of the Messick's concept, although benchmarking has not been defined.

Limitations

It is important to acknowledge the limitations that may affect the interpretation of this systematic review's findings. The included studies exhibited variability, making it challenging to draw definitive conclusions or directly compare results across studies to identify best practices. Most studies were performed at a single centre and were observational in nature, further limiting the generalizability of the results. The majority of studies also focused on curricula performed on the da Vinci system, the most commonly used robotic platform worldwide^[57]; however, an increasing number of alternative robotic platforms are becoming available^[58]. This narrow focus in the literature on curricula performed on a single platform may not fully capture the breadth of training experiences across different robotic systems. As new platforms emerge, it is crucial to include them in research to ensure that the training curricula remain relevant and effective across various technologies. Ultimately, further research is required to design and evaluate a training curriculum that can be universal across several platforms.

Implications for future research and practice

The results of this review highlight several key areas for future research and practice. First, there is a clear need to develop and implement standardized RAS training curricula that incorporate best practices from across the field. Such curricula should be based on a thorough understanding of the essential components of RAS training and must be validated using rigorous, comprehensive evaluation frameworks. Second, the assessment methods used in RAS training should be standardized to ensure consistency and reliability across programmes. This includes a greater emphasis on the objective measures, such as simulation metrics and validated assessment tools, as well as the incorporation of self-assessment and potential integration of AI through automated skills assessments and advanced intraoperative metrics^[59]. Finally, future studies should aim for higher methodological rigor and transparency, ensuring that their findings can be confidently applied to practice. There is a need for more research on the long-term impact of RAS training on clinical outcomes, as well as the cost-effectiveness of different training methods. Additional work should be society- and clinician-led, in collaboration with industries.

Aligning with the review findings, our recent pan-European survey identifies the critical need for a unified curriculum to address the gaps in training, assessment, and certification^[60]. The survey further emphasizes the importance of integrating early simulation training, dual console learning, bedside assisting, and robust assessment tools. Together, these insights will guide the subsequent Delphi processes to develop a European Robotic Surgery Consensus for a robotic training curriculum used for GI trainees^[14]. This should lead to the development of a formal curriculum for robotic training for GI trainees, featuring essential curriculum components, assessment tools, and minimum requirements for certification.

Conclusions

This systematic review highlights the essential components reported in RAS training curricula. It was also evident that there is a significant variability and lack of standardization in RAS training assessment methods, and validation processes. While progress has been made in developing and implementing RAS training programs, there is still a further need for a more unified approach that ensures all surgeons receive high-quality and effective training. By addressing the gaps identified in this review, the field of RAS can move towards a more consistent, reliable, and impactful training programs that ultimately improve surgical outcomes and patient care.

Ethical approval

This study was conducted in accordance with the guidelines of our institutional research ethics committee. For this type of study (systematic review), formal consent is not required.

Source of funding

This research is supported by the European Association of Endoscopic Surgeons (EAES) Research Sandpit Grant 2023.

Conflicts of interest disclosure

H.F.F. is a Member of the Advisory Board of Medtronic, Stryker Corporation and Distalmotion, and holds an educational grant (ESOMAP trial) and teaching courses through EAES with Intuitive Surgical. All other authors have no conflicts of interest to disclose.

Author contributions

J.W., M.G.F.: conceptualisation, data collection and analysis, methodology, manuscript writing; M.B.: conceptualisation, data collection and analysis, methodology; M.Y., M.E., F.P.: conceptualisation, data collection and analysis, methodology; F.M.C., L.H.M, S.A.A.: methodology, manuscript review and editing; M.F., O.K., F.N., S.P., H.F.F., G.B.H.: manuscript review and editing; S.A.A.: methodology, manuscript review and editing; N. K.F.: conceptualisation, data collection and analysis, methodology, manuscript review and editing, supervision; C. K. conceptualisation, data collection and analysis, methodology, manuscript review and editing, supervision; M.

Research registration unique identifying number (UIN)

The study protocol was registered on the Open Science Framework (https://osf.io/br87d/) and this systematic review was registered in the PROSPERO database (registration ID CRD42023418429).

Guarantor

Michael G. Fadel.

Provenance and Peer Review

Not commissioned, externally peer-reviewed.

Data availability statement

All data generated or analyzed during this study are included in this published article.

References

- Sheetz KH, Claflin J, Dimick JB. Trends in the adoption of robotic surgery for common surgical procedures. JAMA Network Open 2020;3:e1918911.
- [2] Walshaw J, Huo B, McClean A, et al. Innovation in gastrointestinal surgery: the evolution of minimally invasive surgery-a narrative review. Front Surg 2023;10:1193486.
- [3] Yiasemidou M, Tomlinson J, Chetter I, Biyani CS. Impact of the SARS-CoV-2 (COVID-19) crisis on surgical training: global survey and a proposed framework for recovery. BJS Open 2021;5:zraa051.
- [4] Das B, Ledesma F, Naik R, et al. Development and validation of a virtual teaching method for minimally invasive surgery skills: a prospective cohort study. Int J Surg 2024;110:7414–20.

- [5] Sridhar AN, Briggs TP, Kelly JD, Nathan S. Training in robotic surgery-an overview. Curr Urol Rep 2017;18:58.
- [6] Sinha A, West A, Vasdev N, et al. Current practises and the future of robotic surgical training. Surgeon 2023;21:314–22.
- [7] Wood TC, Rahman R, Bainton T, Ahmed J, Raza A. The importance of non-technical skills in robot-assisted surgery in gynaecology. J Robot Surg 2024;18:192.
- [8] Estes SJ, Goldenberg D, Winder JS, Juza RM, Lyn-Sue JR. Best practices for robotic surgery programs. JSLS 2017;21:e2016.00102.
- [9] Gleason A, Servais E, Quadri S, *et al.* Developing basic robotic skills using virtual reality simulation and automated assessment tools: a multidisciplinary robotic virtual reality-based curriculum using the da vinci skills simulator and tracking progress with the intuitive learning platform. J Robot Surg 2022;16:1313–19.
- [10] Ahmed K, Khan R, Mottrie A, et al. Development of a standardised training curriculum for robotic surgery: a consensus statement from an international multidisciplinary group of experts. BJU Int 2015;116:93–101.
- [11] Fuchs HF, Collins JW, Babic B, et al. Robotic-assisted minimally invasive esophagectomy (RAMIE) for esophageal cancer training curriculum-a worldwide Delphi consensus study. Dis Esophagus 2022;35:doab055.
- [12] Rusch P, Ind T, Kimmig R, et al. Recommendations for a standardised educational program in robot assisted gynaecological surgery: consensus from the society of european robotic gynaecological surgery (SERGS). Facts Views Vis ObGyn 2019;11:29–41.
- [13] Marcus HJ, Ramirez PT, Khan DZ, et al. IDEAL robotics colloquium, the ideal framework for surgical robotics: development, comparative evaluation and long-term monitoring. Nat Med 2024;30:61–75.
- [14] Fadel MG, Walshaw J, Pecchini F, et al. European robotic surgery consensus (ERSC) study group, european robotic surgery consensus (ERSC): protocol for the development of a consensus in robotic training for gastrointestinal surgery trainees. PLoS One 2024;19:e0302648.
- [15] Higgins J, Welch V, Cochrane handbook for systematic reviews of interventions, 1st ed., John Wiley & Sons, Nashville, TN, 2011. https://training.cochrane.org/handbook (accessed January 10, 2024).
- [16] Page MJ, McKenzie JE, Bossuyt PM, et al. The PRISMA 2020 statement: an updated guideline for reporting systematic reviews. Rev Esp Cardiol 2021;74:790–99.
- [17] Shea BJ, Grimshaw JM, Wells GA, et al. Development of AMSTAR: a measurement tool to assess the methodological quality of systematic reviews. BMC Med Res Methodol 2007;7:10.
- [18] Covidence Systematic Review Software, Veritas Health Innovation (2020). https://www.covidence.org/ (accessed March 3, 2024).
- [19] Microsoft Excel for Microsoft 365 (Version 2408), (2024). https:// www.microsoft.com/en-gb/microsoft-365/excel (accessed September 21, 2024).
- [20] Kirkpatrick D, Kirkpatrick J. Evaluating Training Programs: The Four Levels. Berrett-Koehler Publishers; 2006.
- [21] Messick S. Foundations of validity: meaning and consequences in psychological assessment. ETS Res Rep Ser 1993;1993:i–18.
- [22] Popay J, Roberts H, Sowden A, et al. Guidance on the Conduct of Narrative Synthesis in Systematic Reviews: A Product from the ESRC Methods Programme. Lancaster, England: Lancaster University; 2006.
- [23] Reed DA, Cook DA, Beckman TJ, Levine RB, Kern DE, Wright SM. Association between funding and quality of published medical education research. JAMA 2007;298:1002–09.
- [24] Kim JS, Jonas N, Rizvi TZ, et al. Validation of a multidisciplinary virtual reality (VR) robotic surgical curriculum. J Robot Surg 2023;17:2495–502.
- [25] Grannan HR, Hetzel E, Goldblatt MI, Gould JC, Higgins RM. Robotic general surgery resident training curriculum: a pilot experience. Surg Laparosc Endosc Percutan Tech 2021;31:588–93.
- [26] Green CA, Chern H, Rogers SJ, Reilly LM, O'Sullivan P. Transforming surgical education through a resident robotic curriculum. Ann Surg Open 2021;2:e076.
- [27] Moit H, Dwyer A, De Sutter M, Heinzel S, Crawford D. A standardized robotic training curriculum in a general surgery program. JSLS 2019;23:e2019.00045.
- [28] Galloway ML, Dhanraj DN, Ventolini G. Residency training in robotic-assisted gynecologic surgery. J Gynecol Surg 2012;28:192–96.
- [29] Geller EJ, Schuler KM, Boggess JF. Robotic surgical training program in gynecology: how to train residents and fellows. J Minim Invasive Gynecol 2011;18:224–29.

- [30] Ahmad SB, Rice M, Chang C, *et al.* Will it play in peoria? a pilot study of a robotic skills curriculum for surgical oncology fellows. Ann Surg Oncol 2021;28:6273–82.
- [31] Larcher A, De Naeyer G, Turri F, et al. ERUS educational working group and the young academic urologist working group on robotassisted surgery, the erus curriculum for robot-assisted partial nephrectomy: structure definition and pilot clinical validation. Eur Urol 2019;75:1023–31.
- [32] Arain NA, Dulan G, Hogg DC, et al. Comprehensive proficiency-based inanimate training for robotic surgery: reliability, feasibility, and educational benefit. Surg Endosc 2012;26:2740–45.
- [33] Hogg ME, Tam V, Zenati M, et al. 3rd, mastery-based virtual reality robotic simulation curriculum: the first step toward operative robotic proficiency. J Surg Educ 2017;74:477–85.
- [34] Hung AJ, Bottyan T, Clifford TG, et al. Structured learning for robotic surgery utilizing a proficiency score: a pilot study. World J Urol 2017;35:27–34.
- [35] Puliatti S, Mazzone E, Amato M, De Groote R, Mottrie A, Gallagher AG. Development and validation of the objective assessment of robotic suturing and knot tying skills for chicken anastomotic model. Surg Endosc 2021;35:4285–94.
- [36] Herron DM, Marohn M. SAGES-MIRA robotic surgery consensus group, a consensus document on robotic surgery. Surg Endosc 2008; 22:313–25.
- [37] Agha RA, Fowler AJ, Sevdalis N. The role of non-technical skills in surgery. Ann Med Surg (Lond) 2015;4:422–27.
- [38] Geraghty A, Paterson-Brown S, McGregor RJ. Non-technical skills for surgeons (NOTSS. Surgery 2023;41:474–78.
- [39] Mahendran V, Turpin L, Boal M, Francis NK. Assessment and application of non-technical skills in robotic-assisted surgery: a systematic review. Surg Endosc 2024;38:1758–74.
- [40] Grüter AAJ, Van Lieshout AS, van Oostendorp SE, et al. Video-based tools for surgical quality assessment of technical skills in laparoscopic procedures: a systematic review. Surg Endosc 2023;37:4279–97.
- [41] Yiu A, Lam K, Simister C, Clarke J, Kinross J. Adoption of routine surgical video recording: a nationwide freedom of information act request across England and Wales. EClinicalMedicine 2024;70: 102545.
- [42] Alghazawi L, Fadel MG, Chen JY, et al. Development and evaluation of a quality assessment tool for laparoscopic sleeve gastrectomy videos: a review and comparison of academic and online video resources. Obes Surg 2024;34:1909–16.
- [43] Nayar SK, Musto L, Baruah G, Fernandes R, Bharathan R. Self-assessment of surgical skills: a systematic review. J Surg Educ 2020;77: 348–61.
- [44] McGlinn EP, Chung KC. A pause for reflection: incorporating reflection into surgical training. Ann Plast Surg 2014;73:117–20.
- [45] Pandey VA, Wolfe JH, Black SA, Cairols M, Liapis CD, Bergqvist D. European board of vascular surgery, self-assessment of technical skill in surgery: the need for expert feedback. Ann R Coll Surg Engl 2008; 90:286–90.
- [46] Boal MWE, Anastasiou D, Tesfai F, et al. Evaluation of objective tools and artificial intelligence in robotic surgery technical skills assessment: a systematic review. Br J Surg 2024;111:znad331.
- [47] Hanna GB, Mackenzie H, Miskovic D, et al. Laparoscopic colorectal surgery outcomes improved after national training program (LAPCO) for specialists in england. Ann Surg 2022;275:1149–55.
- [48] Miskovic D, Wyles SM, Carter F, Coleman MG, Hanna GB. Development, validation and implementation of a monitoring tool for training in laparoscopic colorectal surgery in the english national training program. Surg Endosc 2011;25:1136–42.
- [49] Miskovic D, Ni M, Wyles SM, et al. National training programme in laparoscopic colorectal surgery in england, is competency assessment at the specialist level achievable? A study for the national training programme in laparoscopic colorectal surgery in england. Ann Surg 2013;257:476–82.
- [50] Mackenzie H, Ni M, Miskovic D, et al. Clinical validity of consultant technical skills assessment in the english national training programme for laparoscopic colorectal surgery. Br J Surg 2015;102:991–97.
- [51] Mackenzie H, Cuming T, Miskovic D, et al. Design, delivery, and validation of a trainer curriculum for the national laparoscopic colorectal training program in England. Ann Surg 2015;261:149–56.

- [52] Boal MWE, Afzal A, Gorard J, et al. Development and evaluation of a societal core robotic surgery accreditation curriculum for the UK. J Robot Surg 2024;18:305.
- [53] Thomaschewski M, Kist M, Zimmermann M, et al. Conception and prospective multicentric validation of a Robotic Surgery Training Curriculum (RoSTraC) for surgical residents: from simulation via laboratory training to integration into the operation room. J Robot Surg 2024;18:53.
- [54] Tou S, Au S, Clancy C, et al. European Society of Coloproctology guideline on training in robotic colorectal surgery (2024). Colorectal Dis 2024;26:776–801.
- [55] Eardley NJ, Matzel KE, Gómez Ruiz M, et al. European society of coloproctology colorectal robotic surgery training for the trainers course - the first pilot experience. Colorectal Dis 2020;22:1741–48.
- [56] Gómez Ruiz M, Tou S, Gallagher AG, Cagigas Fernández C, Cristobal Poch L, Matzel KE. Intraoperative robotic-assisted low anterior rectal resection performance assessment using procedure-specific binary metrics and a global rating scale. BJS Open 2022;6:zrac041.
- [57] Da Vinci Robotic Surgical Systems, (n.d.). https://www.intuitive.com/ en-gb/products-and-services/da-vinci (accessed August 27, 2024).
- [58] Boal M, Di Girasole CG, Tesfai F, et al. Evaluation status of current and emerging minimally invasive robotic surgical platforms. Surg Endosc 2024;38:554–85.
- [59] Knudsen JE, Ghaffar U, Ma R, Hung AJ. Clinical applications of artificial intelligence in robotic surgery. J Robot Surg 2024;18:102.
- [60] Fadel MG, Walshaw J, Pecchini F, et al. A pan-European survey of robotic training for gastrointestinal surgery: European Robotic Surgery Consensus (ERSC) initiative. Surg Endosc 2025;39:907–21.
- [61] Al Abbas AI, Wang C, Hamad AB, et al. Mentorship and formal robotic proficiency skills curriculum improve subsequent generations' learning curve for the robotic distal pancreatectomy. Hpb 2021;23:1849–55.
- [62] Ali MR, Rasmussen J, BhaskerRao B. Teaching robotic surgery: a stepwise approach. Surg Endosc 2007;21:912–15.
- [63] Alrasheed T, Liu J, Hanasono MM, Butler CE, Selber JC. Robotic microsurgery: validating an assessment tool and plotting the learning curve. Plast Reconstr Surg 2014;134:794–803.
- [64] Alterio RE, Nagaraj MB, Scott DJ, et al. Developing a Robotic Surgery Curriculum: selection of virtual reality drills for content alignment. J Surg Res 2023;283:726–32.
- [65] Aradaib M, Neary P, Hafeez A, Kalbassi R, Parvaiz A, O'Riordain D. Safe adoption of robotic colorectal surgery using structured training: early Irish experience. J Robot Surg 2019;13:657–62.
- [66] Ayabe RI, Parrish AB, Dauphine CE, Hari DM, Ozao-Choy JJ. Singlesite robotic cholecystectomy and robotics training: should we start in the junior years? J Surg Res 2018;224:1–4.
- [67] Bell S, Carne P, Chin M, Farmer C. Establishing a robotic colorectal surgery programme. ANZ J Surg 2015;85:214–16.
- [68] Beulens AJW, Vaartjes L, Tilli S, et al. Structured robot-assisted surgery training curriculum for residents in Urology and impact on future surgical activity. J Robot Surg 2021;15:497–510.
- [69] Butterworth J, Sadry M, Julian D, Haig F. Assessment of the training program for Versius, a new innovative robotic system for use in minimal access surgery. BMJ Surg Interv Health Technol 2021;3:e000057.
- [70] Dioun SM, Fleming ND, Munsell MF, Lee J, Ramirez PT, Soliman PT. Setting benchmarks for the new user: training on the Robotic Simulator. JSLS 2017;21:e2017.00059.
- [71] Dulan G, Rege RV, Hogg DC, *et al.* Developing a comprehensive, proficiency-based training program for robotic surgery. Surgery 2012;152:477–88.
- [72] Fastenberg JH, Gibber MJ, Smith RV. Introductory TORS training in an otolaryngology residency program. J Robot Surg 2018;12:617–23.
- [73] Kingma BF, Hadzijusufovic E, Van der Sluis PC, et al. A structured training pathway to implement robot-assisted minimally invasive esophagectomy: the learning curve results from a high-volume center. Dis Esophagus 2020;33:doaa047.
- [74] Foell K, Finelli A, Yasufuku K, et al. Robotic surgery basic skills training: evaluation of a pilot multidisciplinary simulation-based curriculum. Can Urol Assoc J 2013;7:430–34.
- [75] Formisano G, Esposito S, Coratti F, Giuliani G, Salaj A, Bianchi PP. Structured training program in colorectal surgery: the robotic surgeon as a new paradigm. Minerva Chir 2019;74:170–75.
- [76] Fujimura T, Menon M, Fukuhara H, et al. Validation of an educational program balancing surgeon training and surgical quality control during robot-assisted radical prostatectomy. Int J Urol 2016;23:160–66.

- [77] Gerull W, Zihni A, Awad M. Operative performance outcomes of a simulator-based robotic surgical skills curriculum. Surg Endosc 2020;34:4543–48.
- [78] Gomez PP, Willis RE, Van Sickle KR. Development of a virtual reality robotic surgical curriculum using the da Vinci Si surgical system. Surg Endosc 2015;29:2171–79.
- [79] Hung AJ, Jayaratna IS, Teruya K, Desai MM, Gill IS, Goh AC. Comparative assessment of three standardized robotic surgery training methods. BJU Int 2013;112:864–71.
- [80] Kajiwara N, Kakihana M, Usuda J, et al. Training in robotic surgery using the da Vinci® surgical system for left pneumonectomy and lymph node dissection in an animal model. Ann Thorac Cardiovasc Surg 2011;17:446–53.
- [81] Kiely DJ, Gotlieb WH, Lau S, et al. Virtual reality robotic surgery simulation curriculum to teach robotic suturing: a randomized controlled trial. J Robot Surg 2015;9:179–86.
- [82] Klompmaker S, van der Vliet WJ, Thoolen SJ, et al. Procedure-specific training for robot-assisted distal pancreatectomy. Ann Surg 2021;274: e18–e27.
- [83] Madureira FAV, Varela JLS, Madureira Filho D, et al. Model of a training program in robotic surgery and its initial results. Rev Col Bras Cir 2017;44:302–07.
- [84] Mark Knab L, Zenati MS, Khodakov A, et al. Evolution of a novel robotic training curriculum in a complex general surgical oncology fellowship. Ann Surg Oncol 2018;25:3445–52.
- [85] Martin JR, Stefanidis D, Dorin RP, Goh AC, Satava RM, Levy JS. Demonstrating the effectiveness of the fundamentals of robotic surgery (FRS) curriculum on the robotix mentor virtual reality simulation platform. J Robot Surg 2021;15:187–93.
- [86] Mehrabi A, Yetimoglu CL, Nickkholgh A, et al. Development and evaluation of a training module for the clinical introduction of the da Vinci robotic system in visceral and vascular surgery. Surg Endosc 2006;20:1376–82.
- [87] Melnyk R, Saba P, Holler T, et al. Design and Implementation of an emergency undocking curriculum for robotic surgery. Simul Healthc 2022;17:78–87.
- [88] Merriman AL, Tarr ME, Kasten KR, Myers EM. A resident robotic curriculum utilizing self-selection and a web-based feedback tool. J Robot Surg 2023;17:383–92.
- [89] Moles JJ, Connelly PE, Sarti EE, Baredes S. Establishing a training program for residents in robotic surgery. Laryngoscope 2009;119: 1927–31.
- [90] Müller DT, Brunner S, Straatman J, et al. Analysis of training pathway to reach expert performance levels based on proficiency-based progression in robotic-assisted minimally invasive esophagectomy (RAMIE). Surg Endosc 2023;37:7305–16.
- [91] Mustafa S, Handren E, Farmer D, Ontiveros E, Ogola GO, Leeds SG. Robotic curriculum enhances minimally invasive general surgery residents' education. J Surg Educ 2019;76:548–53.
- [92] Panteleimonitis S, Miskovic D, Bissett-Amess R, et al. EARCS Collaborative, Short-term clinical outcomes of a European training programme for robotic colorectal surgery. Surg Endosc 2021;35:6796–806.
- [93] Panteleimonitis S, Popeskou S, Aradaib M, et al. Implementation of robotic rectal surgery training programme: importance of standardisation and structured training. Langenbecks Arch Surg 2018;403: 749–60.
- [94] Radi I, Tellez JC, Alterio RE, et al. Feasibility, effectiveness and transferability of a novel mastery-based virtual reality robotic training platform for general surgery residents. Surg Surg Endosc 2022;36: 7279–87.
- [95] Ramirez Barriga M, Rojas A, Roggin KK, Talamonti MS, Hogg ME. Development of a two-week dedicated robotic surgery curriculum for general surgery residents. J Surg Educ 2022;79:861–66.
- [96] Raza SJ, Froghi S, Chowriappa A, et al. Construct validation of the key components of fundamental skills of robotic surgery (FSRS) curriculum–a multi-institution prospective study. J Surg Educ 2014;71: 316–24.
- [97] Rice MK, Hodges JC, Bellon J, et al. Association of mentorship and a formal robotic proficiency skills curriculum with subsequent generations. Learning Curve and Safety for Robotic Pancreaticoduodenectomy. JAMA Surg 2020;155:607–15.
- [98] Richmon JD, Agrawal N, Pattani KM. Implementation of a TORS program in an academic medical center. Laryngoscope 2011;121: 2344–48.

- [99] Rusch P, Kimmig R, Lecuru F, et al. The Society of european robotic gynaecological surgery (SERGS) pilot curriculum for robot assisted gynecological surgery. Arch Gynecol Obstet 2018;297:415–20.
- [100] Satava RM, Stefanidis D, Levy JS, et al. Proving the effectiveness of the fundamentals of robotic surgery (frs) skills curriculum: a single-blinded, multispecialty, multi-institutional randomized control trial. Ann Surg 2020;272:384–92.
- [101] Scott SI, Dalsgaard T, Jepsen JV, von Buchwald C, Andersen SAW. Design and validation of a cross-specialty simulation-based training course in basic robotic surgical skills. Int J Med Robot 2020; 16:1–10.
- [102] Shay SG, Chrin JD, Wang MB, Mendelsohn AH. Initial and long-term retention of robotic technical skills in an otolaryngology residency program. Laryngoscope 2019;129:1380–85.
- [103] Stegemann AP, Ahmed K, Syed JR, et al. Fundamental skills of robotic surgery: a multi-institutional randomized controlled trial for validation of a simulation-based curriculum. Urology 2013;81:767-74.
- [104] Tarr ME, Rivard C, Petzel AE, et al. Robotic objective structured assessment of technical skills: a randomized multicenter dry laboratory training pilot study. Female Pelvic Med Reconstr Surg 2014;20: 228–36.
- [105] Thomas A, Altaf K, Sochorova D, Gur U, Parvaiz A, Ahmed S. Effective implementation and adaptation of structured robotic colorectal programme in a busy tertiary unit. J Robot Surg 2021;15:731–39.

- [106] Turbati MS, Goldblatt MI, Gould JC, Higgins RM. Robotic simulation: validation and qualitative assessment of a general surgery resident training curriculum. Surg Endosc 2023;37:2304–15.
- [107] Unruh K, Stovall S, Chang L, et al. Implementation of a structured robotic colorectal curriculum for general surgery residents. J Robot Surg 2023;17:2331–38.
- [108] Valdis M, Chu MWA, Schlachta CM, Kiaii B. Validation of a novel virtual reality training curriculum for robotic cardiac surgery: a randomized trial. Innovations 2015;10:383–88.
- [109] Volpe A, Ahmed K, Dasgupta P, et al. Pilot validation study of the european association of urology robotic training curriculum. Eur Urol 2015;68:292–99.
- [110] White J, Sharma A. Development and assessment of a transoral robotic surgery curriculum to train otolaryngology residents. ORL J Otorhinolaryngol Relat Spec 2018;80:69–76.
- [111] Wiener S, Haddock P, Shichman S, Dorin R. Construction of a urologic robotic surgery training curriculum: how many simulator sessions are required for residents to achieve proficiency? J Endourol 2015;29: 1289–93.
- [112] Winder JS, Juza RM, Sasaki J, et al. Implementing a robotics curriculum at an academic general surgery training program: our initial experience. J Robot Surg 2016;10:209–13.
- [113] Zwart MJW, Nota CLM, de Rooij T, *et al.* Dutch pancreatic cancer group, outcomes of a multicenter training program in robotic pancreatoduodenectomy (LAELAPS-3. Ann Surg 2022;276:e886–e895.